

Reduction of radiotoxicity by ultra-high dose rate protontherapy in zebrafish embryos

Presented by: Gaëlle SAADE - 1st-year PhD Student **Directed by**: Dr. Vincent Potiron and Pr. Stéphane Supiot

Team 3- Unit in Biological Sciences and Biotechnologies – Institut de Cancérologie de l'Ouest – René Gauducheau- Saint Herblain

Workshop: New Modalities in Cancer Imaging and Therapy *October* 5th - 8th , 2022 - Erguy, France
















Introduction

What is radiotherapy?





Mechanisms of damage at the molecular level




Production of H₂O₂, OH⁻, HO₂, H₂, H⁻ ... in the presence of oxygen.

Ultra-High Dose Rate Radiotherapy (UHDR/FLASH-RT)

Electron UHDR-RT: $> 40 \text{ Gy/s} (\leq 500 \text{ ms}) \text{ vs conv-RT} : 0.03 \text{ Gy/s}.$

Healthy tissue response to UHDR-RT:



Less pulmonary fibrosis with **UHDR-RT** in mice.


Tumor response to UHDR-RT: Nonirradiated 17-Gy CONV 17-Gy FLASH HBCx-12A O 20 40 60 80 100 Days after treatment


Antitumor isoeffectiveness.


(Favaudon et al., 2014)

Oxygen is one of the parameters involved in the response of UHDR-RT

• Zebrafish embryos irradiated at 24 hours post-fertilization (hpf).







Reduction of $pO_2 \rightarrow$ higher protection


Role of the oxygen?

(Pawelke et al., 2021)

Type of particles or radiations for irradiation

Protons:

- 1. Spread a little along the trajectory.
- 2. Have a precise targeting.
- 3. Deposit of all the energy at the end of the trajectory.



(Hughes and Parsons, 2020)

Hypothesis

Does **proton-UHDR radiotherapy reduce toxicity** compared to conventional dose-rate irradiation?

Materials and Methods

Experimental model

Zebrafish embryos:


• Before Day 5, authorization of animal experimentation is not mandatory.

• Low cost and irradiation of a large number of eggs → statistical power.

 Many parameters can be tested in a same experiment day

(Geiger et al., 2006)


Method




Results

Determination of optimal irradiation doses

- Zebrafish irradiated at 4 and 28 hpf.
- X-rays : Dose-rate = 3,25 Gy/min.







The higher the dose is, the more sensitive the embryos are at the same age

2 and 3 experiments were done at 4 hpf and 28 hpf respectively.

Determination of optimal irradiation doses

- Zebrafish irradiated at 4 and 28 hpf.
- X-rays : Dose-rate = 3,25 Gy/min.






✓ The higher the dose is, the shorter is the body of the embryos.


✓ 6 and 8 Gy, 30 and 40 Gy = doses creating morphological alterations without altering the viability.


2 and 3 experiments were done at 4 hpf and 28 hpf respectively.

Dose	Age	IR modality
30-40 Gy	29 hpf	conv-UHDR (protons) Dose-rate: 10 Gy/min and 7000 Gy/sec




✓ No protection of the length and the spine curvature after UHDR-RT.







Protection? 1-hour of sealing before irradiation?

Dose	Age	IR modality
30-40 Gy	28 hpf	conv-UHDR (protons) Dose-rate: 12 Gy/min and 8000 Gy/sec








✓ Longer body length of embryos between UHDR-RT and conv-RT at 30 Gy and 40 Gy.


3 independent experiments were done at 28 hpf.

(Saade et al., 2022, Advances in Radiation Oncology, in review)

Dose	Age	IR modality
30-40 Gy	28 hpf	conv-UHDR (protons) Dose-rate: 12 Gy/min and 8000 Gy/sec







✓ No significant difference in the spine curvature after UHDR-RT.

✓ Significant reduction of the score of pericardial edema only at 30 Gy after UHDR-RT.

3 independent experiments were done at 28 hpf.

(Saade et al., 2022, Advances in Radiation Oncology, in review)

Conclusion

- The protection of the length of zebrafish embryos was observed after UHDR-RT at 30 and 40 Gy.
- The score of pericardial edema was only reduced at 30 Gy.

Perspectives

1. Determine a threshold of dose-rate and oxygen levels at which the protective effect starts to be observed.

2. Determine the biological and chemical mechanisms that can explain this phenomenon.

Thank you for your attention! Any question?











